

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.weylo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/578,593	05/08/2006	Philip Thonhauser	085523-0381114	1729	
969 7590 09/25/2011 PILLSBURY WINTHROP SHAW PITTMAN, LLP (NV) P.O. BOX 10500			EXAM	EXAMINER	
			DEO, DUY VU NGUYEN		
MCLEAN, VA 22102			ART UNIT	PAPER NUMBER	
			1713	•	
			NOTIFICATION DATE	DELIVERY MODE	
			09/26/2011	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket_ip@pillsburylaw.com margaret.drosos@pillsburylaw.com Application/Control Number: 10/578,593

Art Unit: 1713

inventorship as corrected.

Correction of Inventorship in an Application

Correction of Inventorship Under 37 CFR 1.48(a) or (c), Sufficient
In view of the papers filed 10/20/09, it has been found that this nonprovisional
application, as filed, through error and without deceptive intent, improperly set forth the
inventorship, and accordingly, this application has been corrected in compliance with 37
CFR 1.48 (c). The inventorship of this application has been changed by addition of
Christian Thonhauser as a co-inventor.

The application will be forwarded to the Office of Initial Patent Examination (OIPE) for issuance of a corrected filing receipt, and correction of Office records to reflect the

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DUY-VU DEO whose telephone number is (571)272-1462. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton can be reached on 571-272-1465. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/578,593 Page 3

Art Unit: 1713

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/DUY-VU DEO/ Primary Examiner, Art Unit 1713

9/20/11